

# **MODEL: 0E8109**



Keep your chips wonderfully crisp and fresh with the Opus 800 Electric Chip Scuttle with gantry. Perfect for schools, colleges, restaurants, hotels and cafes, chips and other fried foods are heated from above and below to keep them in optimal condition, while the removable perforated fat drain plate ensures freshness and makes the scuttle easy to clean.

#### PRODUCT OPTIONS AND ACCESSORIES

 OA8928 Gastronorm and LidOA8921 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 400 mmOA8971 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 400 mmLK11 Opus 800 Long Leg Kit

#### **PRODUCT FEATURES**

- Keep chips and other deep-fried products in perfect condition with heat from above and below
- Deep-fried products are kept fresh and crisp with the removable perforated fat drain plate
- Removable 1/1 GN chip container with perforated fat drain plate is quick and easy to clean









**MODEL: 0E8109** 

WEIGHTS & DIMENSIONS	
Width	400 mil
Depth	800 mil
Height	825 mil
Weight	34.5 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	90 cm
Ship Weight	37.95 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

## **PRODUCT CERTIFICATIONS**



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	6.5
Electrical Voltage	230 volts
Electrical Watts	1500
Electrical Phase	Single
Kilowatts	1.5 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Direct Hardwired
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Control Type	Mechanical
Gastronorm Capacity	1 x GN1/1
Heated Base	Yes
Heated Gantry	Yes
Number of Pans	1
Sections	1
Style	Countertop
Type of Lighting	Halogen

## **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated January 23, 2024







**MODEL: 0E8109** 

## **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024