
robot *o* coupe[®]



SALES FEATURES

The 1-speed CL50 Ultra Vegetable Preparation Machine is ideal for slicing, ripplecutting, grating, dicing, shredding and making french fries from all types of fruit and vegetables, as well as grating cheese.

TECHNICAL FEATURES

The 1-speed CL50 Ultra Vegetable Preparation Machine -Single-phase or Three-phase . Power 550 W. Speed 375 rpm. Equipped with a magnetic safety system, motor brake and lever-activated auto restart. This metal Veg. Prep. Machine has a lateral ejection facility and is equipped with 2 hoppers: 1 large capacity hopper diameter: 139 cm²; loading volume - 2.2 litres, and 1 cylindrical hopper: Ø 58 mm and/or Ø 39 mm. Metal vegetable bowl and lid. Suitable for 50 to 400 meals per service. No discs included. Large choice of 50 discs in option.

Select your options at the back page **F** part.

C TECHNICAL DATA				
Output power	550 Watts			
Electrical data	Single-phase - plug included or Three-phase - no plug included			
Speed	375 rpm			
Dimensions (WxDxH)	380 x 305 x 610 mm			
Rate of recyclability	95 %			
Net weight	20.2 kg			
Supply	Amperage	Reference		
230V/50/1	5.7	24470		

STANDARDS

A

B

(II) (II)

PRODUCT FEATURES / BENEFITS

MOTOR BASE

- Industrial induction motor for intensive use.
- Power 550 Watts.
- Stainless steel motor base and shaft.
- Magnetic safety system with motor brake.
- Speed 375 rpm

VEGETABLE PREPARATION FUNCTION

- Vegetable Preparation Machine equipped with 2 hoppers: - 1 semi-circular hopper to chop bulky vegetables such as cabbage and celeriac.
 - 1 cylindrical hopper for long, delicate vegetables. The Exactitube pusher can be used to reduce the diameter of the hopper for cutting up small ingredients.
- Removable lid.
- Reversible ejector disc for processing delicate produce.
- Lateral ejection facility for space-saving and greater user comfort, and accommodates 150 mm high gastronorm pans
- Lever-activated auto restart (by the pusher)
- Vertical pusher pressure exerted on vegetables to ensure uniform cuts.
- Large choice of 50 discs as optional attachments.
- No discs included.
- Stainless steel blades on slicing discs, combs on Julienne discs and grating discs are removable.

MASHED POTATO FUNCTION

• Optional: a simple way of making large quantities, up to 10 kg, of fresh mashed potato in just 2 minutes

EN 12100-1 and 2 - 2004, EN 60204-1 - 2006, EN 1678 - 1998, EN 60529-2000: IP 55, IP 34.

* Depend on the type of the hopper used, the choice of the cut and the organisation of the workstation. Specification sheet

www.robot-coupe.com

Update : December 2019

robot @ coupe°

CL 50 Ultra - 1 speed

RS 27 068 27 069 27 070 28 056 28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219 28 055
27 069 27 070 28 056 28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
27 070 28 056 28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 056 28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 057 28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 058 28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 073 28 059 28 016 28 060 28 061 27 164 27 219
28 059 28 016 28 060 28 061 27 164 27 219
28 016 28 060 28 061 27 164 27 219
28 060 28 061 27 164 27 219
28 061 27 164 27 219
27 164 27 219
27 219
28 055
28 172
28 153
28 072
27 066
27 067
28 173
28 051
28 195
28 101
28 052
28 053
28 054
INT
28 110
28 111
28 112
28 197
28 181
28 179
28 113
28 114
28 115
28 180
PMENT
PMENT 28 134
28 134

CL 50 Ultra - 1 speed

590

Relact & coupe*

615

380

Б

305

robot @ coupe°

CL 50 Ultra - 2 speeds	D	
5 OPTION 50	Number of meals per service	50 to 400
Disc3	Theoretical output per hour*	up to 500 kg/h
10 Dicing 4 French fries		
robot @ coupe		

SALES FEATURES

The 2-speed CL50 Ultra Vegetable Preparation Machine is ideal for slicing, ripplecutting, grating, dicing, shredding and making french fries from all types of fruit and vegetables, as well as grating cheese.

TECHNICAL FEATURES

B

The 2-speed CL50 Ultra Vegetable Preparation Machine -Three-phase. Power 600 W. Speeds 375 and 750 rpm. Equipped with a magnetic safety system, motor brake and lever-activated auto restart. This metal Veg. Prep. Machine has a lateral ejection facility and is equipped with 2 hoppers: 1 large capacity hopper diameter: 139 cm²; loading volume - 2.2 litres, and 1 cylindrical hopper: Ø 58 mm and/or Ø 39 mm. Metal vegetable bowl and lid. Suitable for 50 to 400 meals per service. No discs included. Large choice of 50 discs in option.

Select your options at the back page **F** part.

C TECHNICAL DATA				
Output power	600 Watts			
Electrical data	Three-phase - no plug included			
2 Speeds	375 and 750 rpm			
Dimensions (WxDxH)	380 x 305 x	380 x 305 x 610 mm		
Rate of recyclability	95 %			
Net weight	20.2 kg			
Supply	Amperage	Reference		
400V/50/3	2.1	24476		

STANDARDS

EN 12100-1 and 2 - 2004, EN 60204-1 - 2006, EN 1678 - 1998, EN 60529-2000: IP 55, IP 34.



PRODUCT FEATURES / BENEFITS

MOTOR BASE

- Industrial induction motor for intensive use.
- Power 600 Watts.
- Stainless steel motor base and shaft.
- Magnetic safety system with motor brake.
- 2 Speeds 375 and 750 rpm

VEGETABLE PREPARATION FUNCTION

- Vegetable Preparation Machine equipped with 2 hoppers:
 1 semi-circular hopper to chop bulky vegetables such as cabbage and celeriac.
 - 1 cylindrical hopper for long, delicate vegetables. The Exactitube pusher can be used to reduce the diameter of the hopper for cutting up small ingredients.
- Removable lid.
- Reversible ejector disc for processing delicate produce.
- Lateral ejection facility for space-saving and greater user comfort, and accommodates 150 mm high gastronorm pans
- Lever-activated auto restart (by the pusher)
- Vertical pusher pressure exerted on vegetables to ensure uniform cuts.
- Large choice of 50 discs as optional attachments.
- No discs included.
- Stainless steel blades on slicing discs, combs on Julienne discs and grating discs are removable.

MASHED POTATO FUNCTION

• Optional: a simple way of making large quantities, up to 10 kg, of fresh mashed potato in just 2 minutes


* Depend on the type of the hopper used, the choice of the cut and the organisation of the workstation.


Specification sheet


robot @ coupe°


CL 50 Ultra - 2 speeds

F OPTIONAL ACCESSORIES			0	RIPPLE CUT SLIC	
• 3 mm potato	ricer attachment - ref 282	07		2 mm	27 068
	ricer attachment - ref 282			3 mm	27 069
				5 mm	27 070
			**************************************	GRATERS	
	+			1.5 mm	28 056
• Wall 8-disc l	nolder - ref 107812			2 mm	28 057
 D-Clean Kit: 	cleaning tool for dicing gr	ids 5 mm, 8 mm		3 mm	28 058
and 10 mm	- ref. 39881	,		4 mm	28 073
				5 mm	28 059
				7 mm	28 016
				9 mm	28 060
SU	GGESTED PACKS OF DIS	scs		Parmesan	28 061
50				Röstis potatoes	27 164
Restaurants pack	slicers 2 mm, 5 mm ; grater 2			Raw potatoes	27 219
of 8 discs	3 mm; dicing equipment: slid			Horseradish paste 1 mm	28 055
Ref 1933	grid 10 x 10 mm ; French fries mm (2 discs).	equipment I0 x I0		JULIENNE	
			· · · · · · · · · · · · · · · · · · ·	Tagliatelles 1x8 mm	28 172
Cultural market back of 7 disks	slicers 2 mm, 5 mm ; graters 2 mm, 4 x 4 mm ; dicing equipm		00000	Onions/cabbage 1x26 mm	28 1 5 3
Ref 1943	dicing grid 10 x 10 mm.	leni .silcer 10 mm +		2x4 mm	28 072
kei 1745	dicing grid to x to him.			2x6 mm	27 066
	slicers: 1 mm, 2 mm, 4 mm,	graters: 1.5 mm,		2x8 mm	27 067
	3 mm, dicing equipment: slic			Tagliatelles 2x10 mm	28 173
AultiCut Pack	5x5 mm, slicer 10 + dicing grid 10x10 mm,			2x2 mm	28 051
of 16 discs Ref 2022	slicer 20 + dicing grid 20x2 2x10 mm, 2.5x2.5 mm, 4x4			2.5x2.5 mm	28 195
	10x10 mm, 1 D-Clean Kit ar			3x3 mm	28 101
	for 8 large discs.			4x4 mm	28 052
	0			6x6 mm	28 053
				8x8 mm	28 054
				DICING EQUIPM	NENT
	SLICERS	5		5x5x5 mm	28 110
	Almonds 0.6 mm	28 166		8x8x8 mm	28 111
	0.8 mm	28 069		10x10x10 mm	28 112
	1 mm	28 062		12x12x12 mm	28 197
	2 mm	28 063		14 x14x5 mm (mozzarella)	28 181
	3 mm	28 064		14x14x10 mm	28 179
	4 mm	28 004		14x14x14 mm	28 113
	4 mm 5 mm	28 065		20x20x20 mm	28 114
		28 085		25x25x25 mm	28 115
	6 mm	28 066		50x70x25 mm salad	28 180
	8 mm 10 mm	28 066		FRENCH FRIES EQU	
	14 mm	28 067		8x8 mm	28 134
	Cooked potatoes 4 mm	28 088		10x10 mm	28 134
	-		• • •		
	Cooked potatoes 6 mm	27 245		10x16 mm	28 1 58









Specification sheet

CL 50 Ultra - 2 speeds

760