

Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 1/12

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code Rein GRAU

Product name Solid compound Rein Grau

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Name DAFNE S.r.I. Full address Via Tormini, 33

District and Country 25085 Soprazocco di Gavardo (BS)

Italy

Tel. +39 0365 376230 Fax +39 0365 374304

e-mail address of the competent person

responsible for the Safety Data Sheet dafne@dafnesrl.eu

1.4. Emergency telephone number

For urgent inquiries refer to tel. +39 0365 376230 (dalle/from ore/hour 08,00 alle/to 19,00 da/from Lunedi/Monday a/to

Venerdi/Friday) - mob. +39 348 8707093 (altri orari e giorni/other hours and days)

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

Hazard classification and indication:

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH210 Safety data sheet available on request.



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 2/12

Precautionary statements:

--

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification.

Classification 1272/2008 (CLP).

STEARIC ACID

CAS. 57-11-4

 $9,1 \le x < 9,15$

Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335

EC. 200-313-4 INDEX. -

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 3/12

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 4/12

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
HUN	Magyarország	50/2011. (XII. 22.) NGM rendelet a munkahelyek kémiai biztonságáról
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
	TLV-ACGIH	ACGIH 2016



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 5/12

ALUMINIUM OXYDE							
Threshold Limit Value. Type	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
TLV	CZE	0,1					
MAK	DEU	4				INHAL.	
MAK	DEU	0,3				RESP.	
MAK	DEU	1,5					
VLA	ESP	10					
VLEP	FRA	10					
WEL	GBR	4					
TLV	GRC		10				
AK	HUN	6					
NDS	POL	1,2				RESP.	
NDS	POL	2,5				INHAL.	
TLV-ACGIH		1	0,9				

AMORPHOUS SILICATE HYDRATE							
Threshold Limit Value.							
Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	4				INHAL.	
MAK	DEU	4				INHAL.	

STEARIC ACID					
Threshold Limit Value.	Country	TWA/8h		STEL/15min	
Туре	Country	I VVA/OII		STEL/TOTTIII	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		0,1		0,2	

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 6/12

and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Solid. Appearance Colour Grey. Odour Typical. Odour threshold. Not available. Not available. Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. Flash point. > 60 °C Not available. **Evaporation Rate** Flammability of solids and gases Not available. Lower inflammability limit. Not available. Not available. Upper inflammability limit. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available Vapour density Not available. Relative density. Not available. Solubility Not available. Not available. Partition coefficient: n-octanol/water Auto-ignition temperature. Not available. Decomposition temperature. Not available. Viscosity Not available Explosive properties Not available. Oxidising properties Not available.

9.2. Other information.

Total solids (250°C / 482°F) 100,00 % VOC (Directive 2010/75/EC) : 0 VOC (volatile carbon) : 0



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

		Pagina n. 7/12
SECTION 10. Stability and	d reactivity.	
10.1. Reactivity.		
There are no particular risks of reaction	n with other substances in normal conditions of use.	
10.2. Chemical stability.		
The product is stable in normal condition	ons of use and storage.	
10.3. Possibility of hazardous read	ctions.	
No hazardous reactions are foreseeab	le in normal conditions of use and storage.	
10.4. Conditions to avoid.		
None in particular. However the usual	precautions used for chemical products should be respected.	
10.5. Incompatible materials.		
Information not available.		
10.6. Hazardous decomposition pr	roducts.	
Information not available.		
SECTION 11. Toxicologic	cal information.	
the criteria specified in the applicable r	or the product itself, health hazards are evaluated according to the properties regulation for classification. ccount the concentration of the individual hazardous substances indicated in se	
11.1. Information on toxicological	effects.	



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 8/12

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture: Not classified (no significant component).

LD50 (Dermal) of the mixture: Not classified (no significant component).

SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class. CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class. STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class. STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

STEARIC ACID

Solubility in water. < 50 mg/l

Rapidly biodegradable.

12.3. Bioaccumulative potential.

STEARIC ACID

Partition coefficient: n-> 5 octanol/water.

BCF. 234



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET

DAFNE S.I.I.	FOR SOLID COMPOUND	
		Pagina n. 9/12
12.4. Mobility in soil.		
nformation not available.		
12.5. Results of PBT and vPvB	assessment.	
On the basis of available data, the p	product does not contain any PBT or vPvB in percentage greater than 0,1%.	
12.6. Other adverse effects.		
nformation not available.		
SECTION 13. Disposal	considerations.	
13.1. Waste treatment methods.		
	·	
Disposal must be performed through	rt residues should be considered special non-hazardous waste. h an authorised waste management firm, in compliance with national and local reç	gulations.
CONTAMINATED PACKAGING Contaminated packaging must be re	ecovered or disposed of in compliance with national waste management regulation	ns.
SECTION 14. Transport	t information.	
The product is not dangerous unde	er current provisions of the Code of International Carriage of Dangerous Goods bus Goods Code (IMDG), and of the International Air Transport Association (IATA)	by Road (ADR) and by Rail (RID), o
14.1. UN number.		. egululloriei
14.1. ON Humber.		
Not applicable.		
14.2. UN proper shipping name.		
Not applicable.		
14.3. Transport hazard class(es).		
Not applicable.		



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

DAFNE sal.	FOR SOLID COMPOUND	
DAFINE sal.		Pagina n. 10/12
4.4. Packing group.		
Not applicable.		
чот аррисавіс.		
4.5. Environmental hazards.		
lat analisahta		
Not applicable.		
4.6. Special precautions for user.		
Not applicable.		
4.7. Transport in bulk according to	Annex II of Marpol and the IBC Code.	
nformation not relevant.		
SECTION 15. Regulatory	information.	
15.1. Safety, health and environme	ntal regulations/legislation specific for the substance or mixture.	
Seveso Category - Directive 2012/18/E	C:	
Restrictions relating to the product or c	ontained substances pursuant to Annex XVII to EC Regulation 1907/2006.	
None.		
Substances in Candidate List (Art. 59 F	REACH).	
Substances subject to authorisarion (A	nnex XIV REACH).	
None.		
Substances subject to exportation repo	rting pursuant to (EC) Reg. 689/2008:	
None.		
Substances subject to the Rotterdam C	Convention:	
None.		



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 11/12

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit



Revisione n. 1

Data revisione 29/01/2016

Stampata il 23/09/2016

SAFETY DATA SHEET FOR SOLID COMPOUND

Pagina n. 12/12

- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.